References:

- Agrawal. R and Srikant R.(2000) “Privacy-preserving data mining”, In Proc. of ACM SIGMOD’00, pp: 439–450, Dallas, Texas, USA.
- Aggarwal C. C(2005) On k-anonymity and the curse of dimensionality. VLDB Conference.
- Aggarwal C. C(2007).: On Randomization, Public Information and the Curse Dimensionality. *ICDE Conference*
- Agrawal .R, T. Imielinski, and A. Swami(1993), “Database Mining: A Performance Perspective,” IEEE Transactions on Knowledge and Data Engineering, Vol. 5, No. 6, pp. 914-925.
- Agrawal R, T.Imielinski, and A.Swami(1993), “Mining association rules between sets of items in large databases”, in proceedings of the ACM SIGMOD Int'l Conf. on Management of data, pp. 207-216.
- Alva Erwin, Raj P. Gopalan, N.R. Achuthan(2007), "A Bottom-Up Projection Based Algorithm for Mining High Utility Itemsets", Proceedings of the 2nd international workshop on Integrating artificial intelligence and data mining, Vol: 84, pp: 3-11.
- Alva Erwin, Raj P. Gopalan, N.R. Achuthan(2007), "CTU-Mine: An Efficient High Utility Itemset Mining Algorithm Using the Pattern Growth Approach", Seventh IEEE International Conference on Computer and Information Technology, pp: 71-76.
- Machanavajjhala Ashwin ." `l-Diversity: Privacy Beyond *k*-Anonymity"
- Bertino, E., Fovino, I. N., Provenza, L. P.(2005) ‘A framework for evaluating privacy preserving data mining algorithms’, Data Mining and Knowledge Discovery, Vol. 11, No. 2, pp.121-154
- Bodon F(2003), “A Fast Apriori Implementation”, In B. Goethals and M. J. Zaki, editors, Proceedings of the IEEE ICDM Workshop on Frequent Itemset Mining Implementations, Vol. 90 of CEUR Workshop Proceedings.
- CHARU C. AGGARWAL,PHILIP S. YU “privacy-preserving data mining: models and algorithms” Kluwer Academic Publishers

- Chun-Jung Chua, Vincent S. Tsengb, and Tyne Liang(2009), "An efficient algorithm for mining high utility itemsets with negative item values in large databases", Applied Mathematics and Computation, Vol. 215, No. 2, pp. 767-778.
- En Tzu Wang, Guanling Lee(2008)," An efficient sanitization algorithm for balancing information privacy and knowledge discovery in association patterns mining", Data & Knowledge Engineering, vol. 65, pp. 463–484.
- Guangzhu Yu, Shihuang Shao, XianhuiZeng(2008), "Mining Long High Utility Itemsets in Transaction Databases", WSEAS Transactions on Information Science & applications, No: 2,Vol: 5, pp: 202- 210.
- Hewen Tang, Wei Fang and YongshengCao(2008), "A simple method of classification with VCL components", in proceedings of the 21st international CODATA Conference, 5-8 October, Kyiv, Ukraine.
- Han.J and Y. Fu, "Attribute-Oriented Induction in Data Mining(1996)," Advances in Knowledge Discovery and Data Mining, U.M. Fayyad, G. Piatetsky-Shapiro, P. Smyth, and R. Uthurusamy, eds., pp. 399- 421, AAAI Press/The MIT Press, Menlo Park, CA.
- Han. J and M. Kamber, "Data Mining: Concepts and Techniques," Morgan Kaufman(2007).
- Jie Wang, Jun Zhang, ShutingXu, WeijunZhong(2007), "A Novel Data Distortion Approach via Selective SSVD for Privacy Protection," International Journal of Information and Computer Security, Vol. 2, No. 1, pp. 48-70.
- Jieh-Shan Yeh, Po-Chiang Hsu(2010)," HHUIF and MSICF: Novel algorithms for privacy preserving utility mining", Expert Systems with Applications, vol. 37, pp. 4779–4786.
- Klaus Julisch(2002)," Data Mining for Intrusion Detection -A Critical Review" in proc. of IBM Research on application of Data Mining in Computer security, D. Barbara and S. Jajodia, eds., Chapter 1 , Kluwer Academic Publisher.
- MarekWojciechowski, Krzysztof Galecki, Krzysztof Gawronek((2005): 'Concurrent Processing of Frequent Itemset Queries Using FP-Growth Algorithm', Proc. of the 1st ADBIS Workshop on Data Mining and Knowledge Discovery (ADMKD'05), Tallinn,Estonia

- Machanavajjhala A., Gehrke J., Kifer D., and Venkitasubramaniam M(2006).:l-Diversity: Privacy Beyond k-Anonymity. *ICDE*
-]Malin B., Sweeney L[2000].: Determining the identifiability of DNA database entries. Journal of the AmericanMedical Informatics Association, pp. 537–541.
- Malin, B[2005]. Protecting DNA Sequence Anonymity with Generalization Lattices.Methodsof formation in Medicine, 44(5): 687-692.

- Mohammed GolamKaosar, Russell Paulet, XunYi((2012), "Fully homomorphic encryption based two-party association rule mining", Data & Knowledge Engineering, pp. 76–78.
- Murat Kantarcioglu, Chris Clifton(2004), "Privacy-Preserving Distributed Mining of Association Rules on Horizontally Partitioned Data", IEEE Transactions on Knowledge and Data Engineering, Vol. 16, No. 9, pp. 1026 – 1037.
- Newton E., Sweeney L., MalinB[2005].: Preserving Privacy by De-identifying Facial Images. IEEE Transactions on Knowledge and Data Engineering, IEEE TKDE.
- Li Ninghui, "*t*-Closeness: Privacy Beyond *k*-Anonymity and _-Diversity"
- Rajalaxmi R.R ,A.M.Natarajan(2008), "A Novel Sanitization Approach for Privacy Preserving Utility Itemset Mining", Computer and Information Science, Vol. 1, No. 3.
- SARAVANABHAVAN C, R.M.S.PARVATHI(2013), **"**Privacy Preserving Sensitive Utility Pattern Mining", Journal of Theoretical and Applied Information Technology, Vol. 49 No.2.
- Samir Patil , Gargi Shah, Aniket Patel (2014):"Techniques of Data Perturbation for Privacy Preserving Data Mining" *International Journal of Advent Research in Computer & Electronics (IJARCE)Vol.1, No.2, March 2014*
- Shankar, T.Purusothaman(2009), "Utility Sentient Frequent Itemset Mining and Association Rule Mining: A Literature Survey and Comparative Study", International Journal of Soft Computing Applications, No: 4, pp: 81-95.
- Seung-Woo Kim, Sanghyun Park, Jung-Im Won2, Sang-Wook Kim(2007), "Privacy Preserving Data Mining of Sequential Patterns for Network Traffic Data", LNCS, vol. 4443, pp. 201–212.

- Shankar. S, Purusothaman.T, Jayanthi. S, NishanthBabu(2009), “A Fast Algorithm for Mining High Utility Itemsets”, Proceedings of IEEE International Advance Computing Conference (IACC 09), Thapar University, Patiala, March 6-7, pp 1459- 1464.
- Shibnath Mukherjee, Zhiyuan Chen, AryyaGangopadhyay(2006), "A privacy-preserving technique for Euclidean distance-based mining algorithms using Fourier-related transforms", The VLDB Journal, Vol: 15, No. 4, pp: 293–315.
- Sulaiman M. Khan, MaybinMuyeba, FransCoenen(2008), "A Weighted Utility Framework for Mining Association Rules", Second UKSIM European Symposium on Computer Modeling and Simulation, Liverpool, pp: 87 - 92.
- Sweeney L[1996].: Replacing Personally Identifiable Information in Medical Records, the Scrub System. Journal of the American Medical Informatics Association.
- Sweeney L[1997].: Guaranteeing Anonymity while Sharing Data, the Datafly System. Journal of the American Medical Informatics Association.
- Sweeney L[2005].: Privacy-Preserving Bio-terrorism Surveillance. AAAI Spring Symposium, AI Technologies for Homeland Security.
- Sweeney L[2005].: Privacy Technologies for Homeland Security. Testimonybefore the Privacy and Integrity Advisory Committee of the Department of Homeland Security, Boston.
- Sweeney L.,Gross R [2005].:Mining Images in Publicly-Available Cameras for Homeland Security. AAAI Spring Symposium, AI Technologies for Homeland Security.
- Sweeney L.[2005]: AI Technologies to Defeat Identity Theft Vulnerabilities. AAAI Spring Symposium, AI Technologies for Homeland Security.
- Verykios,V. S., Bertino, E., Fovino,I. N., Provenza, L. P., Saygin,Y., Theodoridis,Y(2004). “State-of-the-art in privacy preserving data mining,” SIGMOD Record, Vol. 33, No. 1, pp:50-57.
- Vid Podpecan, Nada Lavrac, Igor Kononenko(2007), "A Fast Algorithm for Mining Utility-Frequent Itemsets".
- Yao H., Hamilton H. J., Geng L.(2006), "A Unified framework for Utility based Measures forMiningItemsets", Second International Workshop on Utility-Based DataMining, Philadelphia, Pennsylvania.

- Yao H. and Hamilton[2006], H.J., "Mining itemset utilities from transaction databases, Data &Knowledge Engineering", 59 , pp. 603 –626
- Ying Liu, Wei-keng Liao, AlokChoudhary(2005), "A Fast High Utility Itemsets Mining Algorithm", Utility-Based Data Mining Workshop with the 11th SIGKDD.
- Yu-Chiang Li, Jieh-Shan Yeh, Chin-Chen Chang(2007), "MICF: An effective sanitization algorithm for hiding sensitive patterns on data mining", Advanced Engineering Informatics, vol. 21, pp. 269–280.